

IN THE CLAIMS

Cancel claims 1-35 and 40-43.

1 - 35 (Canceled)

36. (Original) A method for bonding a first body to a second body comprising the steps of:

disposing between the first body and the second body, a reactive multilayer foil comprising a plurality of successive exothermic reactive layers that react to form a joining material;

pressing the bodies together against the foil; and

igniting the foil.

37. (Original) The method of claim 36 wherein at least one of the first and second bodies comprise metallic glass.

38. (Original) The method of claim 37 wherein the reactive multilayer foil comprises alternate layers of alloys that, after reaction and cooling, are amorphous.

39. (Original) The method of claim 37 wherein the reactive multilayer foil comprises alternate layers of an alloy comprising Ni or Cu, an alloy comprising Ti, Zr, or Hf, and an alloy containing primarily Al.

40 - 43 (Canceled)